



HARDIN
ALUMINIUM LLP



ALUMINIUM ICONIC PROFILE DESIGNS FOR THE CLASSIC YOU!
MANUFACTURERS OF ALUMINIUM PROFILES



Ground Floor, Survey No, 33/1, Block No. 27, Near
Lalji Mulji Transport Godown, Palsana Chowkdi,
Palsana Road, Intalva, Surat, Gujarat, 394315



www.hardinaluminium.com



sales@hardinaluminium.com



+91 97695 55573 / +91 79905 15844

ABOUT US

OUR MISSION

Continuously innovate and deliver premium-quality aluminium extrusion products that exceed customer expectations, while championing sustainability and advancing industry progress.

OUR VISION

To be the leading manufacturer of aluminium extrusions, serving diverse industries and earning global recognition for excellence. We aim to be the premier choice for quality-driven procurement of aluminium products.

OUR COMMITMENT

We are committed to providing our customers with superior aluminium extrusion solutions that meet their unique needs and exceed their expectations. Our focus on collaboration and timely delivery drives long-term relationships, while our dedication to sustainability and innovation ensures our customers remain ahead of the curve.

MACHINERY

MULTI BILLET LOG SHEAR FURNACE

The multi billet log shear furnace is used to heat and precisely cut aluminium logs before extrusion. We manufacture high-performance pre-heat furnaces for the extrusion processes of 400 tons.



AUTOMATIC HANDLING SYSTEM

The automatic handling system streamlines the extrusion process by efficiently managing the transfer, cooling, stretching, cutting and stacking of aluminium profiles. This system enhances production speed, ensures uniform quality, reduces manual labor and minimizes material handling damages.

EXTRUSION PRESS

The extrusion press is used to manufacture high quality aluminium profiles. The process involves heating aluminium billets and forcing them through a custom die to create precise shapes. This method guarantees strength, durability and design flexibility while maintaining sustainability through efficient material usage and recyclability.



AGEING OVEN

At Hardin Aluminium, our state-of-the-art aging ovens ensure uniform heating and precise temperature control. This process significantly improves tensile strength and hardness, making the profiles suitable for structural, architectural, and industrial applications.

With advanced temperature monitoring and efficient heat treatment cycles, our aging ovens contribute to high-quality, performance driven aluminium extrusions, ensuring that every profile meets industry standards and customer specifications.




CONTENT

N0.	DESCRIPTION	PAGE NO.
1	RECTANGULAR & SQUARE TUBES	4
2	DOORS & PARTITIONS	6
3	MOULDING SERIES	11
4	SLIM PARTITION	13
5	SLIDING WINDOW PROFILES	15
6	INVISIBLE GRILL	25
7	MOSQUITO NET FITTING SECTION	26
8	WINDOW SYSTEMS	27
9	SLIM WINDOW PARTITIONS	37-39, 48-51
10	CASEMENT WINDOWS	55
11	CURTAIN WALL PROFILES	65
12	KITCHEN PROFILES	71
13	EXTRA ORDINARY	76
14	LADDER SYSTEMS	82
15	GLASS PARTITIONS	84
16	RAILING PROFILES	86

PARTITIONS


RECTANGULAR TUBE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12FT	N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10000	38.00	25.00	0.88	1.000 - 1.200	16	HD - 10010	63.00	38.00	1.25	2.900 - 3.200
2	HD - 10000.1	38.00	25.00	1.26	1.500 - 1.700	17	HD - 10011	63.00	38.00	1.45	3.400 - 3.600
3	HD - 10000.2	38.00	25.00	1.70	2.000 - 2.300	18	HD - 10013.1	75.00	12.70	1.45	2.500 - 2.800
4	HD - 10001	50.00	12.70	1.15	1.300 - 1.500	19	HD - 10013.2	75.00	19.00	1.52	2.700 - 3.000
5	HD - 10002	50.00	19.00	1.18	1.500 - 1.700	20	HD - 10012.1	75.00	25.00	0.78	1.500 - 1.700
6	HD - 10003.1	50.00	25.00	0.65	0.900 - 1.100	21	HD - 10012	75.00	25.00	1.05	1.900 - 2.100
7	HD - 10003	50.00	25.00	0.78	1.100 - 1.300	22	HD - 10013	75.00	25.00	1.20	2.200 - 2.400
8	HD - 10004	50.00	25.00	0.88	1.200 - 1.400	23	HD - 10014	95.00	24.00	1.00	2.100 - 2.300
9	HD - 10005	50.00	25.00	1.00	1.400 - 1.600	24	HD - 10021	101.00	12.70	1.30	2.900 - 3.200
10	HD - 10006	50.00	25.00	1.28	1.800 - 2.000	25	HD - 10022	101.00	19.00	1.45	3.400 - 3.700
11	HD - 10007.1	50.00	38.00	1.00	1.700 - 1.900	26	HD - 10023	101.00	25.00	0.80	1.900 - 2.200
12	HD - 10007	50.00	38.00	1.20	2.000 - 2.200	27	HD - 10024	101.00	25.00	0.95	2.300 - 2.600
13	HD - 10008	50.00	38.00	1.40	2.300 - 2.500	28	HD - 10015	101.00	25.00	1.18	2.700 - 2.900
14	HD - 10008.1	63.00	25.00	0.83	1.400 - 1.600	29	HD - 10016	101.00	25.00	1.32	2.900 - 3.100
15	HD - 10009	63.00	38.00	1.15	2.200 - 2.400						

PARTITIONS


SQUARE TUBE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10200	19.00	19.00	0.88	0.600 - 0.800
2	HD - 10201	25.00	25.00	0.90	0.800 - 1.000
3	HD - 10202	25.00	25.00	1.10	1.000 - 1.200
4	HD - 10203	38.00	38.00	0.97	1.400 - 1.600
5	HD - 10204	38.00	38.00	1.10	1.600 - 1.800
6	HD - 10205	38.00	38.00	1.22	1.800 - 2.000
7	HD - 10206	38.00	38.00	1.35	2.000 - 2.200
8	HD - 10207	50.00	50.00	1.00	1.800 - 2.000
9	HD - 10208	50.00	50.00	1.10	2.000 - 2.200
10	HD - 10209	50.00	50.00	1.50	2.700 - 3.000
11	HD - 10210	50.00	50.00	2.10	3.900 - 4.200
12	HD - 10220	75.00	75.00	1.50	4.300 - 4.700


PARTITIONS

SINGLE PARTITION



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10250	50.00	25.00	0.71	1.200 - 1.400
2	HD - 10254	50.00	25.00	1.55	2.400 - 2.600
3	HD - 10300	63.00	38.00	0.75	1.700 - 1.900
4	HD - 10301	63.00	38.00	0.95	2.000 - 2.200
5	HD - 10302	63.00	38.00	0.93	2.000 - 2.200
6	HD - 10303	63.00	38.00	1.03	2.100 - 2.300
7	HD - 10304	63.00	38.00	1.23	2.500 - 2.700
8	HD - 10305	63.00	38.00	1.40	2.900 - 3.200
9	HD - 10315	101.00	44.50	1.35	4.000 - 4.400


DOUBLE PARTITION



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10260	50.00	25.00	0.60	1.200 - 1.400
2	HD - 10264	50.00	25.00	1.48	2.400 - 2.600
3	HD - 10330	63.00	38.00	0.85	2.100 - 2.400
4	HD - 10330.1	63.00	38.00	0.75	1.900 - 2.100
5	HD - 10331	63.00	38.00	0.65	1.600 - 1.800
6	HD - 10332	63.00	38.00	0.65	1.600 - 1.800
7	HD - 10333	63.00	38.00	1.03	2.400 - 2.600
8	HD - 10334	63.00	38.00	1.23	2.700 - 3.000
9	HD - 10335	63.00	38.00	1.33	2.800 - 3.200
10	HD - 10350	101.00	44.50	1.26	4.000 - 4.400


PARTITIONS

DOOR MIDDLE SINGLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10360	47.50	44.50	1.08	2.100 - 2.300
2	HD - 10361	47.50	44.50	1.40	2.600 - 2.900

DOOR MIDDLE DOUBLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10400	47.50	44.50	1.10	2.300 - 2.500
2	HD - 10401	47.50	44.50	1.40	2.800 - 3.000
3	HD - 10405	85.00	44.50	1.30	3.700 - 4.100

CORNER PARTITION



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10390	63.50	63.50	1.42	3.700 - 4.000


DOOR TOP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10410	47.50	44.50	1.05	2.000 - 2.200
2	HD - 10411	47.50	44.50	1.25	2.500 - 2.700
3	HD - 10415	85.00	44.50	1.35	3.600 - 3.900
4	HD - 10416	85.00	44.50	1.70	4.400 - 4.800


PARTITIONS

DOOR VERTICAL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10420	47.50	44.50	1.05	2.300 - 2.500
2	HD - 10421	47.50	44.50	1.25	2.600 - 2.800
3	HD - 10425	85.00	44.50	1.30	3.700 - 4.000
4	HD - 10427	85.00	44.50	1.60	4.500 - 4.900

LEG PARTITION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10465	63.50	50.00	1.20	3.000 - 3.300

DOOR BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10435	114.50	44.50	1.15	3.800 - 4.200
2	HD - 10436	114.50	44.50	1.35	4.300 - 4.700


TIPS VERTICAL



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10403	49.50	64.30	1.20	2.700 - 2.900


PARTITIONS

BOX CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10450	19.10	17.20	1.31	0.700 - 0.900

GLAZING PLATE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10460	44.40	3.00	0.50	0.400 - 0.600

SAMOSA PROFILE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10430	67.00	63	1.28	3.000 - 3.300


GLAZING CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10440	20.20	15.20	0.50	0.230 - 0.250
2	HD - 10442	20.20	15.20	0.60	0.270 - 0.300
3	HD - 10443	20.20	15.20	0.70	0.300 - 0.350

PARTITIONS


2X1 P PIPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 12000	46.50	24.50	0.90	1.200 - 1.400
2	HD - 12001	46.50	24.50	1.00	1.400 - 1.600

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

1.5X1 L PIPE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11120	37.50	24.50	1.00	1.100 - 1.300
2	HD - 11121	37.50	24.50	1.10	1.200 - 1.400

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


PARTITIONS

MOULDING HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18720	60.00	25.00	0.98	1.900 - 2.100
2	HD - 18721	60.00	25.00	1.30	2.400 - 2.600

MOULDING HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18730	75.00	25.00	0.93	2.100 - 2.300
2	HD - 18731	75.00	25.00	1.10	2.300 - 2.500

MOULDING MIDDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18725	60.00	25.00	1.00	2.000 - 2.200
2	HD - 18726	60.00	25.00	1.25	2.300 - 2.500


MOULDING MIDDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18735	75.00	25.00	0.84	2.000 - 2.200
2	HD - 18736	75.00	25.00	1.05	2.300 - 2.500

PARTITIONS


MOULDING TOP BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18740	75.00	25.00	1.10	2.300 - 2.500

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


2.5 X 1.5 MOULDING L PIPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18745	64.00	39.50	1.20	2.400 - 2.600


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

VERTICAL FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11600	45.00	18	1.42	1.800 - 2.000

LEG PARTITION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11610	53.00	25.00	1.36	2.000 - 2.200

HORIZONTAL FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11605	45.00	18	1.42	2.300 - 2.600

VERTICAL LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11615	54.00	18.00	1.45	2.200 - 2.400

VERTICAL FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11645	45.00	16.30	1.60	1.800 - 2.000

HORIZONTAL FRAME



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11655	45.00	29.00	1.60	2.300 - 2.600


MIDDLE FRAME



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11650	45.00	16.30	1.54	2.000 - 2.200


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18400	18.00	40.00	0.60	0.900 - 1.000
2	HD - 18401	18.00	40.00	0.75	1.000 - 1.200
3	HD - 18402	18.00	40.00	0.90	1.200 - 1.400

INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18440	18.00	40.00	0.70	1.100 - 1.300
2	HD - 18441	18.00	40.00	0.85	1.300 - 1.500
3	HD - 18442	18.00	40.00	1.00	1.500 - 1.700

TOP BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18420	18.00	40.00	0.60	0.900 - 1.000
2	HD - 18421	18.00	40.00	0.75	1.000 - 1.200
3	HD - 18422	18.00	40.00	0.90	1.200 - 1.400

BOTTOM BEARING



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18460	18.00	52.00	0.75	1.200 - 1.400
2	HD - 18461	18.00	52.00	0.90	1.500 - 1.700
3	HD - 18462	18.00	52.00	1.05	1.700 - 1.900


HANDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18300	18.30	50.00	0.96	1.400 - 1.600

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


INTERLOCK



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18340	28.00	50.00	0.90	1.600 - 1.800


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18600	18.00	60.00	1.00	1.800 - 2.000
2	HD - 18601	18.00	60.00	1.15	2.000 - 2.300

INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18640	60.00	18.00	0.90	2.000 - 2.200
2	HD - 18641	60.00	18.00	1.10	2.300 - 2.500

TOP BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18620	18.00	60.00	1.10	1.800 - 2.000
2	HD - 18621	18.00	60.00	1.20	2.000 - 2.200

HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18650	18.00	60.00	1.00	1.700 - 1.900
2	HD - 18651	18.00	60.00	1.15	1.900 - 2.100

TOP BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18660	18.00	60.00	1.10	1.900 - 2.100
2	HD - 18661	18.00	60.00	1.20	2.000 - 2.200

INTERLOCK WITH LEG





N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18671	18.00	60.00	1.10	2.300 - 2.500

INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18670	18.00	60.00	0.90	1.800 - 2.000

INTERLOCK - SANDWICH




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18675	18.00	60.00	0.80	1.800 - 2.000
2	HD - 18676	18.00	60.00	0.96	2.100 - 2.300

HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18500	50.80	25.40	0.70	1.200 - 1.400
2	HD - 18501	50.80	25.40	0.85	1.500 - 1.700
3	HD - 18502	50.80	25.40	1.00	1.800 - 2.000

INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18540	50.00	25.00	0.92	1.800 - 2.000
2	HD - 18541	50.00	25.00	1.20	2.300 - 2.500

TOP BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18520	50.00	25.00	1.02	1.800 - 2.000

MITTING




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18560	50.80	25.40	0.65	1.200 - 1.400
2	HD - 18561	50.80	25.40	0.85	1.600 - 1.800
3	HD - 18562	50.80	25.40	1.00	1.900 - 2.100

HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18700	75.00	25.00	0.70	1.600 - 1.800
2	HD - 18701	75.00	25.00	0.84	1.900 - 2.100

MITTING



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18710	75.00	25.00	0.65	1.600 - 1.800
2	HD - 18711	75.00	25.00	0.79	1.900 - 2.100


TOP BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 18705	75.00	25.00	0.70	1.600 - 1.800
2	HD - 18706	75.00	25.00	0.84	1.900 - 2.100


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

2 TRACK TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 23400	62.00	31.80	0.65	1.200 - 1.400
2	HD - 23401	62.00	31.80	0.87	1.600 - 1.800
3	HD - 23402	62.00	31.80	0.95	1.800 - 2.000
4	HD - 23403	62.00	31.80	1.15	2.200 - 2.500
5	HD - 23404	62.00	31.80	1.30	2.500 - 2.800

2 TRACK BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 23425	62.00	31.80	1.00	2.300 - 2.500
2	HD - 23426	62.00	31.80	1.20	2.600 - 2.800


2 TRACK BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 23420	62.00	31.80	0.60	1.400 - 1.600
2	HD - 23421	62.00	31.80	0.80	1.800 - 2.000
3	HD - 23422	62.00	31.80	0.94	2.000 - 2.200


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

3 TRACK TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 33400	92.15	31.80	0.70	1.600 - 1.800
2	HD - 33401	92.15	31.80	0.84	2.100 - 2.400
3	HD - 33402	92.15	31.80	0.90	2.400 - 2.500
4	HD - 33403	92.15	31.80	0.95	2.600 - 2.800
5	HD - 33404	92.15	31.80	1.10	2.800 - 3.100

3 TRACK BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 33425	92.15	31.80	0.80	2.400 - 2.600
2	HD - 33426	92.15	31.80	1.00	3.200 - 3.400

3 TRACK BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 33420	92.15	31.80	0.70	2.100 - 2.300
2	HD - 33421	92.15	31.80	0.84	2.600 - 2.800
3	HD - 33422	92.15	31.80	1.00	2.900 - 3.200


4 TRACK TOP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 43401	122.40	31.60	1.10	3.200 - 3.500

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


4 TRACK BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 43421	122.40	31.60	1.00	4.100 - 4.500


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

2 TRACK TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 23200	75.00	25.00	1.05	2.000 - 2.200

3 TRACK TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 33200	116.00	25.00	1.15	3.200 - 3.500

2 TRACK BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 23220	75.00	25.00	1.00	2.200 - 2.400


3 TRACK BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 33220	116.00	25.00	1.00	3.300 - 3.600

INVISIBLE GRILL


INVISIBLE GRILL MALE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 13050	28.00	27.50	1.20	1.500 - 1.700

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

INVISIBLE GRILL FEMALE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 13054	27.50	14.40	0.95	0.400 - 0.500

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


MOSQUITO SLIDINGS

MOSQUITO HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 13000	60.00	24.50	0.90	1.750 - 1.950

MOSQUITO INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 13010	26.00	22.00	0.90	0.950 - 1.150
2	HD - 13011	26.00	22.00	1.08	1.100 - 1.300

MOSQUITO FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 13005	44.80	26.30	1.00	1.300 - 1.500
2	HD - 13006	44.80	26.30	1.10	1.500 - 1.700

2 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20540	56.50	36.00	1.01	2.500 - 2.700

4 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20550	116.50	36.00	1.11	5.300 - 5.800

3 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20545	87.00	36.00	1.01	3.600 - 4.000

SGU SLIM INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20565	27.40	25.00	1.28	1.450 - 1.650

2 TRCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20520	56.30	31.40	1.20	2.000 - 2.200

4 TRCK



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20530	116.30	31.40	1.30	4.100 - 4.500


3 TRCK



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20525	86.80	31.40	1.28	2.900 - 3.200


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

SGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20535	54.40	20.70	1.20	2.200 - 2.400

MINI CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20570	34.00	24.50	0.95	0.800 - 0.900


SGU SHUTTER



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20560	54.40	20.70	1.05	1.800 - 2.000


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

SGU DOMAL SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20030	66.00	26.00	1.00	2.200 - 2.500
2	HD - 20031	66.00	26.00	1.25	2.500 - 2.800

2 TRACK LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 26050	64.30	45.00	1.06	3.700 - 4.100

DOMAL CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20070	38.00	30.30	1.15	1.000 - 1.200

3 TRACK LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 26055	99.30	35.00	1.12	5.700 - 6.200

SGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 26060	65.00	26.00	1.08	2.600 - 2.800

SGU REINFORCEMENT



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 26070	61.73	23.70	1.30	2.500 - 2.700


SGU INTERLOCK



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 26065	32.60	23.70	1.30	1.600 - 1.800


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

DOMAL 2 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20000	45.00	45.00	0.85	2.000 - 2.200
2	HD - 20001	45.00	45.00	1.04	2.500 - 2.700

DOMAL 3 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20008	80.00	45.00	1.00	3.400 - 3.800

DOMAL 3 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20009	80.00	45.00	0.95	3.400 - 3.600
2	HD - 20010	80.00	45.00	1.18	4.200 - 4.600

DOMAL 4 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20019	115.00	45.00	1.10	5.200 - 5.700
2	HD - 20020	115.00	45.00	1.37	6.400 - 6.800

SINGLE TRACK DOMAL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20210	39.70	48.20	1.08	2.000 - 2.200

3 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20230	101.90	49.20	1.09	5.200 - 5.700

2 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20220	66.30	48.90	1.20	4.000 - 4.400
2	HD - 20221	66.30	48.90	1.35	4.400 - 4.800

4 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20240	136.00	49.10	1.19	7.300 - 7.800

SGU DOMAL SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20040	65.00	27.00	1.00	2.300 - 2.600
2	HD - 20041	65.00	27.00	1.20	2.600 - 2.900
3	HD - 20042	65.00	27.00	1.50	3.200 - 3.400

HALF MINI CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20055	38.20	7.70	1.15	0.600 - 0.700

DGU DOMAL SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20045	65.00	27.00	1.20	2.600 - 2.800

DOMAL CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20060	39.00	28.70	1.20	1.000 - 1.200

DOMAL U CHANNEL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20080	9.60	16.30	1.20	0.400 - 0.600

MEETING CAP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20100	26.60	21.50	1.21	0.700 - 0.900

MOSQUITO CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 20090	13.20	9.90	1.20	0.300 - 0.500

CAPSULE PIPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 27180	35.00	16.00	1.00	1.100 - 1.250


ROUND PIPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 27165	16.00	16.00	1.00	0.450 - 0.550

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


ROUND PIPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 27170	19.00	19.00	1.00	0.550 - 0.650


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

VENTANA 2 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25030	75.70	24.80	1.20	2.800 - 3.000

VENTANA 3 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25035	108.60	29.80	1.40	5.000 - 5.200

VENTANA 2 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25015	71.80	29.80	1.40	3.500 - 3.800

3 TRACK VERTICAL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25040	112.50	24.80	1.20	4.000 - 4.200

TOP AND BOTTOM SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25000	53.80	22.20	1.20	2.100 - 2.300

SGU SLIM INTERLOCK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25025	35.80	20.30	1.40	1.800 - 2.000

SGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25005	62.37	25.38	1.00	2.300 - 2.500

SGU I/L REINFORCEMENT



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25020	80.00	20.20	1.40	3.400 - 3.700

TOP TRACK GUIDE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 25010	12.00	15.00	1.20	0.600 - 0.800

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

VENTANA 2 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29000	50.00	47.80	2.00	3.800 - 4.200

VENTANA 2 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29007	64.40	47.80	1.30	4.300 - 4.700

VENTANA 2 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29004	50.00	47.80	1.50	3.600 - 3.900

VENTANA 3 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29010	85.90	47.80	1.45	6.000 - 6.500

VENTANA 3 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29014	86.30	47.50	1.20	5.300 - 5.700

VENTANA 3 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29017	100.70	50.50	1.30	6.400 - 6.900

VENTANA CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29040	38.50	32.50	1.30	1.300 - 1.500

VENTANA TRACK CAP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29055	12.80	17.40	1.00	0.300 - 0.400

INTERLOCK SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29080	34.40	27.80	1.20	2.000 - 2.200

SLIM INTERLOCK SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29075	36.00	18.10	1.30	1.900 - 2.100

INTERLOCK DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29090	33.60	27.80	1.20	1.650 - 1.850

SLIM INTERLOCK DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29076	34.40	18.10	1.30	1.650 - 1.850

REINFORCEMENT I/L SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29085	85.00	27.80	1.28	3.700 - 4.000

SLIM REINFORCEMENT SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29070	74.20	18.10	1.20	3.500 - 3.800
2	HD - 29070.1	74.20	18.10	1.30	3.700 - 3.900

REINFORCEMENT I/L DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29095	85.00	27.80	1.20	3.300 - 3.600

SLIM REINFORCEMENT DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29071	74.20	18.10	1.30	3.400 - 3.700

SGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29020	65.00	29.00	1.30	3.000 - 3.300

TOP BOTTOM SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29060	58.50	26.00	1.20	2.600 - 2.900

VENT DGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29030	65.00	29.00	1.30	2.800 - 3.200

2 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31205	85.00	33.10	1.10	3.100 - 3.400

3 TRACK




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31215	124.70	33.10	1.10	3.900 - 4.300

2 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31201	80.80	47.60	1.10	4.700 - 5.200

3 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31210	120.50	47.60	1.10	6.400 - 6.900

SGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31230	59.00	31.40	1.40	3.300 - 3.600

DGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31220	59.00	31.40	1.40	3.000 - 3.300

SGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31235	65.90	29.00	1.50	3.700 - 4.000

DGU SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31225	65.90	29.00	1.50	3.400 - 3.700

SLIM REINFORCEMENT SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31240	80.10	20.20	1.70	4.300 - 4.700

SLIM REINFORCEMENT DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31250	80.10	20.20	1.70	4.000 - 4.400

SLIM INTERLOCK SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31245	38.10	20.20	1.40	2.400 - 2.600

SLIM INTERLOCK DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 31255	38.10	20.20	1.40	2.000 - 2.200

2 TRACK VERTICAL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35000	100.00	32.80	1.20	3.400 - 3.700

3 TRACK VERTICAL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35040	150.00	32.80	1.20	4.700 - 5.100

2 TRACK TOP AND BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35005	95.60	31.20	1.40	5.100 - 5.500

3 TRACK TOP AND BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35035	145.60	31.20	1.40	7.350 - 7.800

SLIM INTERLOCK SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35025	47.20	27.50	1.50	2.800 - 3.100

SLIM INTERLOCK DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35125	47.20	27.50	1.50	2.500 - 2.700

SLIM REINFORCEMENT SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35010	96.40	27.50	1.70	5.000 - 5.500

SLIM REINFORCEMENT DGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35110	96.40	27.50	1.70	4.800 - 5.200

SGU TOP BOTTOM FILE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35030	58.00	31.70	1.50	3.400 - 3.700

SGU HANDLE PROFILE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35015	58.90	35.20	1.60	3.800 - 4.200

DGU TOP BOTTOM FILE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35130	58.00	31.70	1.50	3.500 - 3.800

DGU HANDLE PROFILE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35115	58.90	35.20	1.60	3.600 - 3.900

SGU TOP BOTTOM FILE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35020	10.80	14.00	1.05	0.400 - 0.500

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

2 TRACK WITH LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35745	77.01	42.62	1.35	4.850 - 5.200

SGU HANDLE PROFILE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35765	75.00	35.00	1.30	3.800 - 4.200

2 TRACK WITH 2 LEG




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35750	95.00	48.00	1.30	6.300 - 6.700

DGU HANDLE PROFILE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35770	75.00	35.00	1.30	3.600 - 3.900

SGU I/L REINFORCEMENT




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35790	89.83	31.10	1.40	4.800 - 5.200

INTERLOCK SGU




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35780	42.55	31.01	1.40	2.400 - 2.600

DGU I/L REINFORCEMENT




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35795	89.80	31.10	1.40	4.600 - 5.000

INTERLOCK DGU



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35785	42.13	31.00	1.40	2.300 - 2.500

CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 35775	41.00	38.90	1.20	1.400 - 1.600

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29100	65.10	29.00	1.20	2.000 - 2.200

OUTER FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29110	42.20	29.00	1.20	1.600 - 1.800

SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29105	55.50	29.00	1.20	2.000 - 2.200

CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 29115	22.32	16.59	1.00	0.650 - 0.750

R40 FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40000	38.50	40.00	1.30	2.000 - 2.200

R40 CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40020	32.10	18.00	1.00	0.750 - 0.850

R40 MULLIAN




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40010	53.71	40.00	1.30	2.300 - 2.500

R40 BIG MULLIAN




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40030	70.50	40.50	1.40	3.200 - 3.600

R40 SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40005	62.50	40.20	1.05	2.600 - 2.800

R40 2 IN 1 FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40035	79.50	48.00	1.10	3.300 - 3.600

R40 SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40015	51.20	40.00	1.00	2.200 - 2.500

R40 3 IN 1 FRAME



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40040	114.00	48.00	1.10	4.400 - 4.800


R40 2 IN 1 MIDDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40045	79.50	70.20	1.10	4.000 - 4.400

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


R40 3 IN 1 MIDDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 40050	92.20	70.20	1.03	4.000 - 4.400


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

R50 DOOR SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50000	78.50	58.00	1.25	4.000 - 4.400

R50 SINGLE FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50010	46.00	50.00	1.25	2.900 - 3.200

R50 OUTSIDE SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50005	92.50	58.00	1.50	4.700 - 5.100

R50 BIG FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50015	73.20	50.00	1.45	3.700 - 4.000

R50 SINGLE MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50020	66.00	50.00	1.50	3.600 - 3.900

FLYING MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50030	66.00	56.60	1.50	2.500 - 2.700

R50 MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50025	90.00	50.00	1.50	4.300 - 4.700

R50 REVERSE ADP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50035	49.50	50.00	1.50	1.800 - 2.000

R50 CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50040	19.24	25.50	1.20	0.800 - 0.900

R50 CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50050	32.00	25.50	1.20	1.100 - 1.300

R50 GLASS CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50045	21.70	25.50	1.13	0.800 - 1.000

R50 INSIDE SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50055	75.00	58.00	1.45	5.000 - 5.500

R50 DOOR BOTTOM




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50060	100.00	50.00	1.50	6.000 - 6.500

R50 DOOR BOTTOM ADP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50070	56.10	34.00	1.10	1.600 - 1.800

R50 COMBINATION FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 50065	85.80	45.90	1.40	4.300 - 4.700

FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 52000	52.00	44.50	1.40	3.100 - 3.400

MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 52010	66.00	52.00	1.40	3.500 - 3.800

SHUTTER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 52005	65.90	52.00	1.40	3.500 - 3.800

BIG MULLION



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 52015	95.00	52.00	1.40	4.500 - 4.900


CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 52020	30.95	25.91	1.10	1.050 - 1.200

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


DGU CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 52025	30.95	26.05	1.10	0.900 - 1.100


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

57MM CURTAIN WALL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 55700	77.70	57.00	1.85	5.500 - 6.000

PRESSURE PLATE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 55720	53.00	9.80	1.60	1.500 - 1.700

57MM CURTAIN WALL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 55710	115.90	57.00	2.00	7.500 - 8.000

COVER PLATE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 55730	57.00	18.30	1.15	1.200 - 1.400

HALF MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 55715	115.91	34.35	1.80	5.900 - 6.400

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

67MM CURTAIN WALL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56700	81.20	67.00	1.90	5.900 - 6.400

67MM CURTAIN WALL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56711	131.50	67.00	2.00	8.700 - 9.200

67MM CURTAIN WALL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56710	131.50	67.00	2.00	8.100 - 8.600

67MM HALF MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56715	81.20	38.80	1.80	4.400 - 4.600

67MM HALF MULLION




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56720	131.50	38.80	1.80	6.200 - 6.700

PRESSURE PLATE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56725	63.50	9.00	2.00	1.550 - 1.750

67MM SASH




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56735	67.10	27.50	1.40	2.700 - 2.900

COVER PLATE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56730	67.00	18.00	1.50	1.500 - 1.700

67MM SASH




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56740	65.30	27.50	1.20	1.900 - 2.100

67MM SASH




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56750	51.50	27.50	1.40	2.000 - 2.200

67MM SASH




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56745	67.10	27.50	1.40	2.300 - 2.500

67MM SASH



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56760	27.00	20.00	1.25	1.200 - 1.400


67MM TONGLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56755	31.00	7.70	2.00	0.700 - 0.900

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

67MM TONGLE





N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 56765	7.00	16.10	2.10	0.500 - 0.700

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'



KITCHEN PROFILE

MALE PROFILE





N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30000	34.90	25.80	1.70	2.500 - 2.700

FEMALE PROFILE





N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30001	34.50	25.00	1.00	1.350 - 1.550

MALE PROFILE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30010	29.00	20.00	1.60	1.300 - 1.500


FEMALE PROFILE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30011	32.60	20.00	1.00	1.200 - 1.400


KITCHEN PROFILE

35MM G HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30020	35.00	20.40	1.20	1.300 - 1.500

45MM FRAMELESS




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30060	45.00	19.00	1.10	1.300 - 1.500

45MM FRAME



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30030	45.00	21.80	1.00	1.300 - 1.500


78MM HANDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30050	77.80	22.00	1.00	2.400 - 2.700


KITCHEN PROFILE

67MM HANDLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30040	67.00	21.80	1.10	2.000 - 2.300

GLASS FRAME




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30080	45.00	20.00	1.10	1.400 - 1.600

67MM FRAMELESS



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30070	67.00	19.00	1.00	1.800 - 2.100


HANDLE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30090	69.00	20.90	1.10	1.750 - 2.000


KITCHEN PROFILE

GLASS G BOX




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10590	21.10	39.00	2.00	2.000 - 2.200

GLASS CORNER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10610	26.50	18.40	2.60	1.500 - 1.700

GLASS INTERLOCK



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10600	21.10	43.00	2.00	2.000 - 2.200


GLASS INTERLOCK



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10620	21.10	22.00	2.00	1.400 - 1.600


KITCHEN PROFILE

G CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10630	36.50	23.60	1.15	1.300 - 1.500

45MM FRAME PROFILE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 30025	45.00	35.00	1.02	1.700 - 1.900


GLASS SS



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10640	22.00	20.00	1.15	1.000 - 1.200


EXTRA ORDINARY

OVAL 3"




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90003	75.00	25.00	1.10	1.800 - 2.100

2.5" LOUVER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90025	64.43	10.64	1.00	0.700 - 0.900

OVAL 4"



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90004	100.00	25.00	1.00	2.500 - 2.800


3" LOUVER



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90030	76.90	27.46	1.00	1.000 - 1.200


EXTRA ORDINARY

U CHANNEL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90040	12.00	12.00	0.80	0.260 - 0.300

T PATTI




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90060	19.00	19.00	0.80	0.300 - 0.400

U CHANNEL



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90041	19.00	24.80	1.40	0.900 - 1.100


BULB T



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90070	25.00	25.00	1.20	0.600 - 0.800


EXTRA ORDINARY

HALF ROUND LOUVER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90081	74.60	12.60	1.00	1.000 - 1.100
2	HD - 90080	74.60	12.60	1.20	1.200 - 1.300

J CHANNEL




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90085	38.50	17.50	2.00	1.700 - 1.800

HALF ROUND LOUVER



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90082	52.98	15.00	0.80	0.800 - 0.900


J CHANNEL



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90090	34.30	28.60	2.00	2.600 - 2.800


EXTRA ORDINARY

SLIDING CHANNEL



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90095	33.30	32.20	1.60	1.700 - 2.000

EQUAL ANGLE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10950	19.00	19.00	2.00	0.700 - 0.900
2	HD - 10951.1	38.00	38.00	1.90	1.300 - 1.500
3	HD - 10951	38.00	38.00	3.00	2.100 - 2.300
4	HD - 10952	50.00	50.00	3.00	2.800 - 3.000
5	HD - 10953	25.00	25.00	2.00	0.900 - 1.100

FLAT BAR



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10900	25.00	3.00	3.00	0.700 - 0.900
2	HD - 10901	25.00	5.00	5.00	1.200 - 1.400
3	HD - 10902	35.00	3.00	3.00	1.000 - 1.200


H SLOT



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 90050	69.00	19.00	2.00	1.900 - 2.100


EXTRA ORDINARY

PESTING PATTI




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10570	16.70	3.70	3.20	0.500 - 0.600

TENT HORIZONTAL BRACKET




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 70100	70.00	70.00	3.00	9.900 - 10.100

FLAT PATTI



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10580	18.40	2.90	2.35	0.450 - 0.550


TENT SQUARE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 70105	40.00	40.00	2.80	4.100 - 4.300

EXTRA ORDINARY

TENT CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 70110	54.66	19.80	1.80	1.700 - 1.900


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


LADDER

RECTANGULAR LADDER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11000	73.20	25.30	1.50	2.600 - 2.800

CROSS LADDER




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11020	99.50	35.00	1.30	3.000 - 3.200

72X25 LADDER



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11010	85.20	25.40	1.40	2.800 - 3.000


ROUND PIPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11030	49.80	46.10	1.85	2.700 - 2.900

LADDER

FLUTED ROUND TUBE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 11040	50.20	46.00	2.10	2.500 - 2.700


N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'

N0.	SECTION NO.	W	H	T	WEIGHT KG/12'


GLASS PARTITION

GLASS FIX - H TYPE




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10520	16.00	17.00	2.55	0.800 - 1.000

13MM GLASS U




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10535	18.40	18.40	2.60	1.100 - 1.300

GLASS FIX - H TYPE



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10510	19.80	17.60	1.30	1.000 - 1.200


U TYPE CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10540	16.50	16.50	2.80	0.900 - 1.000


GLASS PARTITION

U TYPE CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10500	19.80	16.80	1.10	1.000 - 1.200

I TYPE CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10550	16.50	16.50	1.40	0.900 - 1.000

U TYPE CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10530	16.00	17.00	1.40	0.800 - 0.900


I TYPE CLIP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10560	18.40	18.40	2.80	1.200 - 1.300


HAND RAILING SERIES

CIRCLE CLIP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10710	67.00	71.10	8.00	15.500 - 16.000

71MM BOTTOM





N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10680	56.00	71.00	2.00	9.600 - 10.000

50MM ROUND TOP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10700	50.00	47.70	1.50	3.000 - 3.300


H LONG



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10650	33.90	9.00	2.00	1.000 - 1.200


HAND RAILING SERIES

20MM RAILING TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10740	40.00	40.00	1.50	2.900 - 3.200

20MM RAILING TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10690	66.00	38.60	1.85	4.400 - 4.700

20MM ROUND RAILING TOP



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10741	82.00	38.00	1.40	3.900 - 4.300


20MM RAILING RADIUS



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10745	65.00	40.00	1.50	4.000 - 4.400


HAND RAILING SERIES

50MM SQUARE TOP




N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10670	50.00	50.00	1.20	3.000 - 3.300

91MM RAILING BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10681	51.20	91.00	2.00	10.900 - 11.500

80MM RAILING BOTTOM



N0.	SECTION NO.	W	H	T	WEIGHT KG/12'
1	HD - 10660	37.00	80.00	6.00	10.500- 11.000